



LIGHTOLLIER®



s o l i

A clean
and elegant
luminaire,
captured
in a
halo of light ,
complementing
architectural elements.

Recipient of the ALA Special Judges award.

Soli Glow For Linear T5 Fluorescent Lamps




4-Foot Glow/Glass



3-Foot Glow/Glass



2-Foot Glow/Glass



Soli Glow

Soli Glow is light in equilibrium; a pure linear statement that accents interior elements through light and silhouette. Light filters through and reflects off the curvature of the etched glass, spilling onto the surrounding surface. A singular brilliant line in the center of the silhouetted body maintains the balance between light and dark.

The opal white acrylic diffuser adds brilliant white coloring and the durability of extruded acrylic. The translucent diffuser alleviates shadows on the mounting surface by allowing light to filter through.



2-Foot Glow/Acrylic



Soli Line For Linear T5 Fluorescent Lamps



4-Foot Line



3-Foot Line



2-Foot Line





Soli Line

A clean line, purity of light, a gesture to accent elements of architecture. Soli's slender profile stands just 3 5/8" from the wall and completely shields the T5 light source. The slim front view and clean style lends itself to repetitive applications.

Soli Squared

The Line is captured by the Square. Soli Squared is a stylish variation on Soli Line. Together they create a vision of light and precision. Soli Square cleverly covers the J-Box while adding another element of refinement.



4-Foot Soli Squared

Soli Sconce For Compact Fluorescent Lamps



Soli Sconce Acrylic

LIGHTOLIER



A design that evokes the illusion of floating, the Soli Sconce meets all ADA requirements. Light emanating from within, plays through a gently curved etched-glass diffuser, spreading softly on the wall. A precise line of light from the center accents the front enclosure.



Soli Sconce incorporates either an etched glass (above) or opal white acrylic diffuser, both are defined by polished beveled edges.

Ordering Information

Soli CFL Wall Sconce

	Catalog Number	Nom. Width/Length	Lamp	Ballast	Voltage
Soli Sconce Glass	48020ALU-40873	9.5" x 14"	1x26/32/42W TTT CFL*	Electronic	120/277V
Soli Sconce Acrylic	48020ALU-40913	9.5" x 14"	1x26/32/42W TTT CFL*	Electronic	120/277V

***Note:** When using 26 watt lamps most even illumination is obtained with Quad tube lamps.

Options Drop the "U" and add the suffix code to the catalog number.

	Suffix
Dimming / 120V	MX1
Dimming / 277V	MX2
347V (Canada)	E3

Soli T5 Surface Mount

	Catalog Number	Nom. Width/Length	Lamp	Ballast	Voltage
2-Foot Line	48021ALU	(1.7" or 4.5"*) x 23"	1x 14W T5 LF	Electronic	120/277V
2-Foot Glow Glass	48021ALU-40874	6.5" x 23"			
2-Foot Glow Acrylic	48021ALU-40914	6.5" x 23"			
3-Foot Line	48022ALU	(1.7" or 4.5"*) x 34.6"	1x 21W T5 LF	Electronic	120/277V
3-Foot Glow Glass	48022ALU-40875	6.5" x 34.6"			
3-Foot Glow Acrylic	48022ALU-40915	6.5" x 34.6"			
4-Foot Line	48023ALU	(1.7" or 4.5"*) x 46.4"	1x 28W T5 LF	Electronic	120/277V
4-Foot Glow Glass	48023ALU-40876	6.5" x 46.4"			
4-Foot Glow Acrylic	48023ALU-40916	6.5" x 46.4"			

***Note:** 4.5" width includes cast J-Box Covers of Soli Squared. (Covers included with all Soli luminaires.)

4-Foot Options

	Catalog Number	Lamp	Voltage
Emergency	48023ALUE	1x 28W T5	120/277V
Bodine integral emergency pack rated for 90 minutes of operation.			
Dimming Options Drop the "U" and add the suffix code to the catalog number.			
Dimming HO	54D1	1x 54W T5 HO	120V
Dimming HO	54D2	1x 54W T5 HO	277V
DALI*	28DA	1x 28W T5	120/277V
DALI-HO*	54DA	1x 54W T5 HO	120/277V

Note:

*DALI (Digital Addressable Lighting Interface) is an open communication protocol used by multiple control and ballast manufacturers for digital control and standardization. HO denotes "High Output" lamp.

All units are: cULus, suitable for damp locations

Go to www.lightolier.com for annotatable Soli spec sheets, photometrics and instruction sheets.

Information can be viewed, downloaded, or printed from the website.



Soli Sconce Glass



Soli Sconce Acrylic



2-Foot Line



2-Foot Squared



2-Foot Glow Glass



2-Foot Glow Acrylic



Wire Nuts



3-Foot Line



3-Foot Squared



3-Foot Glow Glass



3-Foot Glow Acrylic



Drywall Anchors and Screws



Cast Decorative J-Box Cover



4-Foot Line



4-Foot Squared



4-Foot Glow Glass



4-Foot Glow Acrylic



Mounting Plate



Conduit Mounting Plate

Note: Decorative J-Box Covers and Conduit Mounting Plate are included with all T5 Soli luminaires.

Major parts included in Soli T5 parts kit.



Lightolier®
A Genlyte Thomas Company

**631 Airport Road
Fall River, MA 02720
Phone (508) 679-8131
Fax (508) 674-4710
www.lightolier.com**

**Lightolier
A Division of Canlyte
3015 Rue Louis Amos
Lachine (Quebec) H8T 1C4
Phone (514) 636-0670
www.canlyte.com**

© 2003 Lightolier, a Division of Genlyte Thomas Group LLC. All rights reserved. Certain products illustrated in this catalog may be protected by applicable patents and patents pending. Lightolier will aggressively defend all of its intellectual property. We reserve the right to change details of design, materials and finishes.

A.I.A. Division 16
Brochure 23551

Printed in the U.S.A.